# GREASE PUMP PRESSURE RATIO 80:1 FOR 180 KG DRUM. 80:1 730 GR/MIN 180 KG

Part No
**12757**

**Alentec & Orion AB** Grustagsvägen 4, SE-13840, Älta, SWEDEN · info@alentec.se · www.alentec.com

# TECHNICAL DATA

## GREASE PUMP PRESSURE RATIO 80:1 FOR 180 KG DRUM. 80:1 730 GR/MIN 180 KG

For both mobile and fixed installations. Bung adapter G 2” (part No 28591) included.

| TECHNICAL DATA | |
|---|---|
| Part No | 12757 |
| Ratio | 80:1 |
| Capacity | 730 gr/min |
| For container | 180 kg |
| Air connection | 1/4" (F) BSP |
| Maximum air pressure | 1,0 (10) MPa (bar) |
| Recommended air pressure | 0,4 (4) - 0,7 (7) MPa (bar) |
| Outlet | 3/8" (F) BSP |
| Pump tube | 930 mm |
| Length | 1180 mm |
| H.S. Code | 84135069 |

## RELATED PRODUCTS

| PART NO | DESCRIPTION | |
|---|---|---|
| 29057 | Dust cover for drum adapter | |
| 1125372 | Inlet strainer for grease pumps. | |
| 18573 | Follower plate 180 kg 560-590 mm | |
| 18542 | Drum cover 180 kg 560-605 mm |  |
| 99601 | Installation kit grease for 180 kg drums. (127 series) (pump not included) | |