

LOW PRESSURE PUMP 3:1. FOR THE SMALLER OIL DISTRIBUTION SYSTEM. 120 L/MIN FREE FLOW



Part No
22440

TECHNICAL DATA




LOW PRESSURE PUMP 3:1. FOR THE SMALLER OIL DISTRIBUTION SYSTEM. 120 L/MIN FREE FLOW

Lower viscosity oils. Suitable for connection to a bulk tank or drum. Remote stub pump version can be wall or floor mounted. Double acting air operated pump for oil and non-corrosive liquids.

TECHNICAL DATA

| | |
|----------------------|--------------------|
| Part No | 22440 |
| Ratio | 3:1 |
| Capacity | 120 l/min |
| Air connection | 1/2" (F) BSP |
| Maximum air pressure | 1,2 (12) MPa (bar) |
| Inlet | 1 1/2" (F) BSP |
| Outlet | 3/4" (F) BSP |
| H.S. Code | 84135069 |

RELATED PRODUCTS

| PART NO | DESCRIPTION | |
|---------|---|---|
| 28670 | Wall bracket for 4,5" and 6" heavy duty pumps |  |
| 99620 | Installation kit for a remote floor mounted air operated industrial pump. With a suction hose connected to a tank |  |
| 28671 | Floor bracket for 4,5" and 6" Heavy duty pumps |  |