

GREASE PUMP 80:1 730 GR/MIN 50 KG



Part No
12756

TECHNICAL DATA








GREASE PUMP 80:1 730 GR/MIN 50 KG

For both mobile and fixed installations. Bung adapter G 2" (part No 28591) included.

TECHNICAL DATA

| | |
|--------------------------|-----------------------------|
| Part No | 12756 |
| Ratio | 80:1 |
| Capacity | 730 gr/min |
| For container | 50 kg |
| Air connection | 1/4" (F) BSP |
| Maximum air pressure | 1,0 (10) MPa (bar) |
| Recommended air pressure | 0,4 (4) - 0,7 (7) MPa (bar) |
| Outlet | 3/8" (F) BSP |
| Pump tube | 750 mm |
| Length | 1000 mm |
| H.S. Code | 84135069 |

RELATED PRODUCTS

| PART NO | DESCRIPTION | |
|---------|---|---|
| 29057 | Dust cover for drum adapter |  |
| 18543 | Drum cover 50 kg 360-405 mm |  |
| 1125372 | Inlet strainer for grease pumps. |  |
| 99602 | Installation kit grease for 50 kg drums. (127 series) (pump not included) |  |
| 18546 | Drum cover 50 kg 345-380 mm |  |
| 18571 | Follower plate 50 kg 340-360 mm |  |
| 18572 | Follower plate 50 kg 365-395 mm |  |