

PUMP 3:1 OIL FOR 208 L DRUM 22 L/MIN FREE FLOW



Part No
22815

TECHNICAL DATA

PUMP 3:1 OIL FOR 208 L DRUM 22 L/MIN FREE FLOW

Low pressure pump. For the smaller oil distribution system and lower viscosity oils. Suitable for connection to 205 drum. Double acting air operated pump for oil and non-corrosive liquids. Includes a bung adapter G2" (m).

TECHNICAL DATA

Part No	22815
Ratio	3:1
Capacity	22 l/min free flow
Air connection	1/4" (F) BSP
Maximum air pressure	1 (10) MPa (bar)
Recommended air pressure	0,3 (3) - 0,5 (5) MPa (bar)
Outlet	3/4" (F) BSP
H.S. Code	84135069

RELATED PRODUCTS

PART NO	DESCRIPTION	
28340	Mobile oil dispenser for 208l drum.	
28336	Distribution kit 4 M	
28594	Bung adaptor G2"(m)-Ø34(f)	
22160	Mobile oil dispenser 208 l with safety trolley	
28337	Distribution kit 6 M	
28335	Distribution kit 2 M	
22161	Mobile oil dispenser 208 l, heavy duty safety trolley with air tyres	
22162	Mobile oil dispenser 208 l, heavy duty safety trolley with solid wheels	
22158	Mobile oil dispenser for 208 l drum	