

## BATTERY POWERED GREASE GUN 20V



Part No. / Art. Nr. / Réf.:  
**13532 (1 battery 2,0Ah)**  
**13534 (1 battery 4,0Ah)**

## OVERVIEW – BATTERY OPERATED GREASE GUN 20V

### LONG REACH

The supplied 1100 mm hose means easy access to all hard to reach lubrication points.

### BUILT IN TORCH

LED-torch with on/off button



### MOTOR PROTECTION

In order to protect the motor the grease gun is equipped with over pressure valve and motor overload protection

### NO INTERRUPTIONS

Battery capacity 2,0 or 4,0 Ah, can empty 26 or 40 cartridges, respectively




### EASY REFILLING


The grease gun is equipped by default with a bleeding valve and filler nipple for bulk grease filling, reducing costs and wasted plastic cartridges.

### SHOCK RESISTANCE

The grease tube is protected with guides which also serves as a rubberized stand for placing the grease gun safely on a flat surface.

TECHNICAL DATA	13532	13534
Li-Ion Battery voltage	20 V	
Li-Ion Battery voltage	2,0 Ah	4,0 Ah
Charge time	90 minutes (2,0 Ah)	
Max pressure	70 MPa (700 bar)	
Safety valve release pressure	50 MPa (500 bar)	
Flow - high mode	160 g/min	
Flow - low mode	100 g/min	
Number of cartridges per charge	24	40
Display functions	Battery level, grease meter, remaining grease, clogged fitting warning, grease supply issue.	
Metering units	gram, oz	
LED torch	Yes, with separate on/off button	
Hose length	1100 mm (44")	
Carrying strap	Included	
Weight (pump only)	3,2 kg (7 lb)	





ACCESSORIES	PART NO	
Battery charger 230V	1353402	
Spare battery 2,0 Ah	1353201	
Spare battery 4,0 Ah	1353401	
Grease tube 1000 cm <sup>3</sup>	11214	
Adapter for MLS screw type cartridge	14726	
Adapter for accordion type cartridge	14534	

**VERSATILE – USING DIFFERENT GREASE CONTAINERS**

Standard – 400 gr cartridge or bulk grease using filler pump for 18/20/50kg kegs



13534 / 13532




11710, 11711, 11712

High capacity – 1000 gr tube, filled with bulk grease using filler pump for 18/20/50 kg kegs



13534 / 13532



11214 (lever pump but tubes are switched between pumps)

MLS type screw-in cartridge adapter



13534 / 13532



14726

Accordion cartridge adapter



13534 / 13532



14534



**WE PROVIDE  
SOLUTIONS**

**Alentec & Orion AB**

Grustagsvägen 4  
SE-138 40 Älta  
Sweden  
Tel: +46 8 747 67 00  
Fax: +46 8 715 20 74  
E-mail: [info@alentec.se](mailto:info@alentec.se)  
[www.alentec.com](http://www.alentec.com)

**Alentec Orion Ltd**

Barrs Fold Road  
Wingates Industrial Park  
Westhoughton BL5 3XP  
United Kingdom  
Tel: +44 116 284 60 40  
Fax: +44 116 284 60 70  
E-mail: [lube@alentec-orion.co.uk](mailto:lube@alentec-orion.co.uk)  
[www.alentec-orion.co.uk](http://www.alentec-orion.co.uk)

**Orion Lube System nv/sa**

Eksaardse Rijweg 236  
9041 Oostakker  
Belgium  
Tel: +32 9 250 94 60  
Fax: +32 9 250 94 69  
E-mail: [info@orion-lube.be](mailto:info@orion-lube.be)  
[www.orion-lube.be](http://www.orion-lube.be)

**Autolube Orion, S.A.S.**

64, Rue du Puits Charles  
58400 La Charité Sur Loire  
France  
Tel.: +33 3 86 60 47 75  
Fax: +33 2 34 09 01 35  
E-mail: [info@autolubeorion.com](mailto:info@autolubeorion.com)  
[www.autolubeorion.com](http://www.autolubeorion.com)